



English


العربية



**SUPER
WIFI**

الانترنت الهوائي المنزلي – Super WiFi

"طرق تفعيل جهاز ال AX2 Mesh Access Point"





"طرق تفعيل جهاز ال AX2 Mesh Access Point"

الخطوة الاولى: تشغيل الجهاز بجانب الراوتر



2- نشغل الجهاز ونستني احد ما ينور باللون الاحمر
الثابت لمدة دقيقتين




1- نضع الجهاز بجانب الراوتر





"طرق تفعيل جهاز ال AX2 Mesh Access Point"


الخطوة الثانية: اضغط على زر H بالراوتر لتفعيل جهاز ال AX2



5- نستني لحد ما النور يثبت **بالاخضر**
علشان نتأكد ان تم التفعيل بنجاح



4- لمبة الجهاز ال AX2 هتنور
باللون الاحمر المتقطع





3- ندوس على زر H
بالراوتر





"طرق تفعيل جهاز ال AX2 Mesh Access Point"

طريقة ثانية للتفعيل: من خلال الموبايل



1- ندخل على Wi-Fi المطبوع على ظهر الجهاز من خلال الموبايل


3- بعد اتباع الخطوات، هتختار Wi-Fi راوتر ال Home Wireless

2- ونتبع خطوات التفعيل الموضحة في الصور



"طرق تفعيل جهاز ال AX2 Mesh Access Point"

الخطوة الثالثة: انقل الجهاز للمكان الذي تريد تغطية بال Wi-Fi



لضمان تغطية أفضل يجب الحفاظ على :

بعد توصيل الجهاز في المكان الذي نريد تغطية بال Wi-Fi, يجب التأكد من ان الجهاز
يضيء باللون الاخضر الثابت
ولو يضيء بالاحمر الثابت لمدة أكثر من دقيقتين , يجب توصيله بمكان أقرب للراوتر


- 1- يفضل وضع الجهاز بعيد عن الميكروويف والاجهزة الإلكترونية
- 2- مسافة لا تزيد عن 7-8 متر على حد أقصى بين الجهاز والراوتر
- 3- الحفاظ على وجود حائط واحد بين الراوتر والجهاز
- 4- وضع الجهاز على ارتفاع بين 1 متر – 1.5 متر





Home Wireless - Super Wi-Fi

“AX2 Mesh Installation and Pairing Guide”




“AX2 Mesh Installation and Pairing Guide” **SUPER WIFI**

Step 1: Power on the repeater and place it next to the router



1- Plug in the repeater beside the router




2- Wait until the device LED is steady **red**
and wait for two minutes




“AX2 Mesh Installation and Pairing Guide”




Step 2: Sync the router and access point



3- Press the H button on the router



4-The access point's LED will start flashing **red**




5- Once the LED changes to **green** and stop flashing,
The devices are paired successfully.







“AX2 Mesh Installation and Pairing Guide”



Option 2: installation by using your mobile



1- Using your mobile, connect on the Wi-Fi printed on the back of the Mesh access point




2- Once connected, the wizard will automatically launch. Follow instruction to complete the setup

3- Upon completing the setup, connect on the Wi-Fi belonging to the router and enter your password.



“AX2 Mesh Installation and Pairing Guide” **SUPER WiFi**

Step 3: Place the device in the uncovered area and follow the guidelines below



Guidelines:

- 1- The access point should be away from the microwave, cordless telephone, and metal objects
- 2- Keep the access point within 7-8 meters from the router
- 3- Only one wall should separate the router and access points
- 4- The height of the access point should be within 1.2 m - 1.5 m from the ground

After connecting the device inside the uncovered area, please ensure the LED is steady green, **and if it's steady RED for two minutes, please change its place near to the router**



